

SECTION 1: Identification

1.1. Product identifier

Product name : CC-262 Polyfoam
Product code : 20602

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cleaning/washing agents and additives

1.3. Supplier

Safe Foods Chemical Innovations
1501 East 8th Street
North Little Rock, AR, 72114
T 501-758-8500 - F 501-663-8952

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Serious eye damage/eye irritation, Category 1	Causes serious eye damage.
Specific target organ toxicity, Repeated exposure, Category 1	Causes damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment, Acute Hazard, Category 3	Harmful to aquatic life.
Hazardous to the aquatic environment, Chronic Hazard, Category 3	Harmful to aquatic life with long lasting effects.

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : Causes serious eye damage
Causes damage to organs through prolonged or repeated exposure.
Harmful to aquatic life
Harmful to aquatic life with long lasting effects

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA) : Do not breathe dust, fume, gas, mist, vapors, spray.
Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid release to the environment.
Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Get medical advice or attention if you feel unwell.
Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

92.45% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

91.15% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/Information on ingredients

Name	Product identifier	% by weight
Dodecylbenzene sulfonic acid, sodium salt	CAS-No.: 25155-30-0	5 – 10
Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol	CAS-No.: 112-34-5	1 – 5
Ethoxylated alcohols (C=9-11)	CAS-No.: 68439-46-3	1 – 5
Ethylenediaminetetraacetic acid tetrasodium salt ; Tetrasodium EDTA	CAS-No.: 64-02-8	0.5 – 2

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

First-aid measures general : Get medical advice/attention if you feel unwell.

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : None under normal conditions.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : None under normal conditions.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Packaging materials : Always store product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	
Canada (Manitoba) - Occupational Exposure Limits	
OEL TWA	10 ppm (IFV - Inhalable fraction and vapor)
Regulatory reference	ACGIH 2024
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
OEL TWA	10 ppm (IFV - Inhalable fraction and vapor)
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
OEL TWA	10 ppm (IFV - Inhalable fraction and vapor)
Regulatory reference	ACGIH 2024
Canada (Ontario) - Occupational Exposure Limits	
OEL TWAEV	10 ppm (IFV - Inhalable fraction and vapour)

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
OEL TWA	10 ppm (IFV - Inhalable fraction and vapor)
Regulatory reference	ACGIH 2024
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	10 ppm (Inhalable fraction and vapor)
Regulatory reference	ACGIH 2024

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:	Protective gloves
Eye protection:	Safety glasses
Skin and body protection:	Wear suitable protective clothing
Respiratory protection:	[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : No data available
Color : Blue clear
Odor : Mild odor
Odor threshold : No data available
pH : $\geq 7 - \leq 9$
Relative evaporation rate (butyl acetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : -1.7 °C (29°F)

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: 14.23 mm Hg
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1.027 g/ml
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified.

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	ATE (CA)
Ethylenediaminetetraacetic acid tetrasodium salt ; Tetrasodium EDTA (64-02-8)	1700 – 1913 mg/kg, rat	-	-	Oral: 1700 mg/kg body weight
Ethoxylated alcohols (C=9-11) (68439-46-3)	> 1000 mg/kg, rat	> 2000 mg/kg body weight, rat	> 1.6 mg/l air, rat	Oral: 500 mg/kg body weight

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	ATE (CA)
		2000 mg/kg, rabbit		Dermal: 2000 mg/kg body weight
Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	5660 mg/kg, rat 2410 – 5530 mg/kg body weight	2764 mg/kg body weight, rabbit	-	Oral: 2410 mg/kg body weight Dermal: 2764 mg/kg body weight
Dodecylbenzene sulfonic acid, sodium salt (25155-30-0)	1080 mg/kg body weight, rat	> 2000 mg/kg body weight, rat	0.31 mg/l, rat	Oral: 1080 mg/kg body weight Vapors: 0.31 mg/l/4h Dust, mist: 0.31 mg/l/4h

Skin corrosion/irritation : Not classified.
pH: $\geq 7 - \leq 9$

Serious eye damage/irritation : Causes serious eye damage.
pH: $\geq 7 - \leq 9$

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Name	LOAEL	LOAEC	NOAEL	NOAEC
Ethylenediaminetetraacetic acid tetrasodium salt ; Tetrasodium EDTA (64-02-8)	Oral: 60 mg/kg body weight, rat, 90 days	Inhalation (dust/mist/fume): 0.015 mg/l air, rat, 90 days	Oral: 6 mg/kg body weight, rat, 90 days	-
Ethoxylated alcohols (C=9-11) (68439-46-3)	-	-	Oral: ≥ 500 mg/kg body weight, rat, 90 days	-
Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	-	-	Oral: 250 mg/kg body weight, rat, 90 days Dermal: < 200 mg/kg body weight, rat/rabbit, 90 days	
Dodecylbenzene sulfonic acid, sodium salt (25155-30-0)	Oral: 200 mg/kg body weight, rat, 90 days Dermal: 286 mg/kg body weight, rat/rabbit, 90 days	-	Oral: 100 mg/kg body weight, rat, 90 days Dermal: < 286 mg/kg body weight, rat/rabbit, 90 days	-

Aspiration hazard : Not classified

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Harmful to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Name	Fish	Crustacea	Other Aquatic Organisms
Ethylenediaminetetraacetic acid tetrasodium salt ; Tetrasodium EDTA (64-02-8)	LC50 [1]: 41 mg/l NOEC (chronic): \geq 25.7 mg/l	EC50 [1]: > 114 mg/l	EC50 72h Algae [1]: 100 mg/l LOEC (chronic): 50 mg/l
Ethoxylated alcohols (C=9-11) (68439-46-3)	LC50 [1]: 8.5 mg/l	EC50 [1]: 2.686 mg/l	EC50 96h Algae [1]: 1.4 mg/l
Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	LC50 [1]: 1300 mg/l	EC50 [1]: > 100 mg/l	EC50 96h Algae [1]: > 100 mg/l ErC50 Algae: > 100 mg/l
Dodecylbenzene sulfonic acid, sodium salt (25155-30-0)	LC50 [1]: 3.2 – 5.6 mg/l	EC50 [1]: 6.3 mg/l	EC50 72h Algae [1]: 65.4 mg/l EC50 72h Algae [2]: 21 mg/l

12.2. Persistence and degradability

Name	Persistence and degradability
CC-262 Polyfoam	Not rapidly degradable
Ethylenediaminetetraacetic acid tetrasodium salt ; Tetrasodium EDTA (64-02-8)	Not rapidly degradable
Ethoxylated alcohols (C=9-11) (68439-46-3)	Biodegradability in water: no data available.
Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	Readily biodegradable in water.
Dodecylbenzene sulfonic acid, sodium salt (25155-30-0)	Readily biodegradable in water.

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

12.3. Bioaccumulative potential

Name	Bioaccumulative Potential
Ethylenediaminetetraacetic acid tetrasodium salt ; Tetrasodium EDTA (64-02-8)	Partition coefficient n-octanol/water (Log Pow): -13.17
Ethoxylated alcohols (C=9-11) (68439-46-3)	No bioaccumulation data available.
Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	Low potential for bioaccumulation (Log Kow < 4).
Dodecylbenzene sulfonic acid, sodium salt (25155-30-0)	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

Name	Soil Ecology
Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	Highly mobile in soil.
Dodecylbenzene sulfonic acid, sodium salt (25155-30-0)	Low potential for mobility in soil.

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	DOT	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

SECTION 15: Regulatory information

15.1. National regulations

Listed on the Canadian DSL (Domestic Substances List)

Ethylenediaminetetraacetic acid tetrasodium salt ; Tetrasodium EDTA (64-02-8)

Ethoxylated alcohols (C=9-11) (68439-46-3)

Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)

Dodecylbenzene sulfonic acid, sodium salt (25155-30-0)

15.2. International regulations

Name	Inventory
Ethylenediaminetetraacetic acid tetrasodium salt ; Tetrasodium EDTA (64-02-8)	Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)
Ethoxylated alcohols (C=9-11) (68439-46-3)	Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)
Diethylene glycol monobutyl ether ; 2-(2-Butoxyethoxy)ethanol, Butyl Carbitol (112-34-5)	Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)
Dodecylbenzene sulfonic acid, sodium salt (25155-30-0)	Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

CC-262 Polyfoam

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Name	Inventory
	Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 11/30/2016

Revision date : 11/25/2025

Supersedes : 07/24/2024

Safety Data Sheet (SDS), Canada - SFCI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.