

PRECAUTIONARY STATEMENTS

HAZARDS

DANGER Heating may cause a fire. May intensify fire; oxidizer. May be corrosive to metals. Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Very toxic to aquatic life

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep/Store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Keep only in original packaging. Do not breathe dusts or mists. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.

Response: Call a physician immediately. **IF IN EYES:** Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. **IF ON SKIN (or hair):** Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. **IF SWALLOWED:** Rinse mouth. Do not induce vomiting. Call a physician immediately. **In case of fire:** Use appropriate media to extinguish.

Storage and Disposal

Store locked up. Protect from sunlight. Store in a well-ventilated place. Store at temperatures not exceeding the recommended value. Store separately.

Storage: Store away from other materials. Protect from sunlight. Keep only in original container. Keep cool. Store locked up. Store at temperatures not exceeding 86 °F.

Disposal: Do not flush to sewer; may be incinerated in approved facility with flue gas monitoring & scrubbing, mix with a suitable flammable waste before incineration; may be landfilled if local regulations permit. **Drums** should be reused. Recondition and pressure test by a licensed reconditioner prior to re-use. **Pails** must be vented and thoroughly dried prior to crushing and recycling. **IBCs** (intermediate bulk containers): polyethylene bottle must be pressure tested and recertified at 30 months. Replace at 60 months (5 years). Steel containers must be inspected, pressure tested and recertified every 5 years.

Warning: never cut, drill, weld or grind on or near this container, even if empty.

HEALTH	3
FLAMMABILITY	1
REACTIVITY	1
PPE	X



Rev. 02/27/2026



PROMOAT™

CANADA ANTIMICROBIAL AGENT

Promoat™ is a peroxyacetic acid mixture approved by FDA for use as a processing aid under FCN No. 2266, formerly 1986. The intended use of the product, as stated in FCN 2266, is as an antimicrobial agent in the production, processing, and preparation of poultry and meat products. Promoat™ delivers superior microbial efficacy against a wide range of microorganisms. Promoat™ kills pathogens through oxidation and extends product shelf-life by the immediate and dramatic reduction of food spoilage organisms. Promoat™ has shown to cause no organoleptic changes on treated food products.

Before Using This Product, Please Read This Entire Label Carefully.

KEEP OUT OF REACH OF CHILDREN

DANGER

OXIDIZER! CORROSIVE!



PROTECT FROM HEAT

NET CONTENTS:

50 GALLONS ____ 300 GALLONS ____

LOT NUMBER:

PRODUCTION

DATE:

Directions For Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Poultry:

Promoat™ is approved for use in process water applied on poultry carcasses, parts, trim, and organs. Usage levels should not exceed: 2000 ppm peroxyacetic acid, 1333 ppm hydrogen peroxide, and 133 ppm HEDP.

Processed and Pre-formed Meat Products:

Promoat™ is approved for use in process water, ice or brine used on processed and preformed meat products. Usage levels should not exceed: 495 ppm peroxyacetic acid, 193 ppm hydrogen peroxide, and 33 ppm HEDP.

Processed and Pre-formed Poultry Products:

Promoat™ is approved for use in process water, ice or brine used on processed and preformed poultry products. Usage levels should not exceed: 230 ppm peroxyacetic acid, 90 ppm hydrogen peroxide, and 15 ppm HEDP.

Safe Foods Chemical Innovations

1501 E 8th Street

North Little Rock, AR 72114

501-758-8500



CHEMTREC EMERGENCY PHONE 1-800-424-9300

UN3109

Organic peroxide type F, Liquid (contains peroxyacetic acid, hydrogen peroxide), 5.2 (8)